

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/576,858</u>	Examiner : <u>Probe</u>	GAU : <u>1632</u>
From : <u>PAP</u>	Location : <u>IDC</u> FMF FDC	Date : <u>3/29/05</u>
Tracking # : <u>06005833</u>		Week Date : <u>8/30/04</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input checked="" type="checkbox"/> Other <u>SEQUIST</u>
<input type="checkbox"/> DRW	_____	<u>5/22/00</u>
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: Sequence listing is illegible due to scanning. Please provide a clearer copy.

Thank you

[XRUSH] RESPONSE: corrected

See attachment

INITIALS: PS

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04